

KIV-77 and KIV-78 Emulators

Identification Friend or Foe (IFF) Test Solutions



KIV-77 Emulator

Fast track your Mark XIIA integration and testing with BAE Systems' KIV-77 and KIV-78 emulators.

The KIV-77 and -78 emulators support both Mode 4 and 5 (Level 1 and 2) interrogator and transponder operations. They integrate seamlessly with our AN/DPX-7, AN/APX-111, AN/APX-126, and other IFF equipment to provide cryptographic test services with enhanced ease of use.

Both the KIV-77 and -78 systems meet the requirements specified in Option A and B of the DoD AIMS 04-900A certification.



KIV-78 Emulator

Key features and benefits

- Emulators are not COMSEC-controlled items (CCI), eliminating specific storage and handling requirements that an authentic KIV-77 or -78 would have
- Key and time-of-day loading is not required, eliminating the need for a key-loading device
- Emulation of respective KIV device facilitates user testing without acquiring keys, key loader, or authentic KIV-77 or -78 devices
- Plug-and-play operation without the use of additional cables ensures simple integration with host equipment
- Support of both Mode 4 and 5 (Level 1 and 2) interrogator and transponder operations ensures all cryptographic test needs are met

Specifications

Weight	KIV-77 Emulator < 1lb., KIV-78 Emulator < 1.5 lbs.
Dimensions	KIV-77 Emulator: 3.5 in. x 4.25 in. x 1 in. KIV-78 Emulator: 3.4 in. x 4.7 in. x 2.1 in.
Environmental	-10° C to +55° C
General specifications	AIMS 03-1000 AIMS 04-900 STANAG 4193

For more information contact:

BAE Systems
 Bill Banfi
 450 Pulaski Road, M/S GNY010118
 Greenlawn, NY 11740
T: 631 262 8220
E: william.banfi@baesystems.us
W: baesystems.com/IFF

Cleared for open publication on 09/18

Disclaimer and copyright

This document gives only a general description of the product(s) and service(s) and, except where expressly provided otherwise, shall not form any part of any contract. From time to time, changes may be made in the products or the conditions of supply.

BAE SYSTEMS is a registered trademark of BAE Systems plc.
 ©2025 BAE Systems. All rights reserved.
 CS-18-D12